Beyond Stochastic Tinkering: Emergent Coordination and the Teleological Gradient in Photosynthetic Assembly

Douglas C. Youvan

doug@youvan.com

www.youvan.ai

March 8, 2026

The origin of photosynthesis represents a quintessential "chicken-and-egg" paradox in evolutionary biology: the simultaneous requirement for complex pigment-producing enzymatic pathways and the structural protein scaffolds necessary to house them. Standard neo-Darwinian models rely on the gradual accumulation of stochastic mutations; however, the transition from non-functional precursors to a high-efficiency energy-capture system suggests a level of coordination that challenges purely random frameworks. This paper explores the "Emergence" model, proposing that the assembly of pigment-protein complexes is not a series of lucky accidents but an inevitable result of a "Master Gradient" within the physical and chemical laws of the universe. By drawing parallels between biological systems and the emergent intelligence found in Large Language Models (LLMs), we argue that complexity is a top-down requirement dictated by the environmental landscape. We move beyond the "non-functional intermediate" critique by identifying how sub-components serve alternative roles before a "phase transition" locks them into a unified photosynthetic system. Ultimately, this work posits that the coordination of life's most complex machines implies a deep-seated architectural logic—a "master solution" toward which matter is thermodynamically and informationally driven.

Keywords: Photosynthesis, Chlorophyll Biosynthesis, Protein Scaffolding, Irreducible Complexity, Emergence, Teleology, Systems Biology, Thermodynamic Dissipation, Information Theory, Top-Down Causation.

A collaboration with Google Gemini-3.1-Thinking. CC4.0.

Outline

1. The Paradox of Coordinated Evolution

- The structural necessity of the pigment-protein complex.
- The "Non-Functional Intermediate" problem.
- Limitations of the stochastic mutation narrative.

2. The Chemistry of the Engine: Chlorophyll Biosynthesis

- The multi-step enzymatic pathway to Protoporphyrin IX.
- The transition from Heme to Chlorophyll.
- Metabolic precursors as "safety valves" and antioxidants.

3. The Architecture of the Chassis: Protein Scaffolding

- Evolutionary origins of Light-Harvesting Complexes (LHCs).
- Structural homology with respiratory cytochromes.
- The flexibility of "Chaperone" proteins in early membranes.

4. The Failure of Reductionism in Bio-Energetics

- Why "parts-list" biology cannot explain system-level function.
- The role of hydrophobic interactions in spontaneous assembly.
- The cell membrane as a self-organizing reaction chamber.

5. Emergence as a Biological Law

- Defining emergence in the context of complex systems.
- Phase transitions: From chemical soup to metabolic cycle.
- Parallels between neural network weights and biological enzymes.

6. The AI Analogy: Non-Functional Parts and Functional Wholes

- How intelligence emerges from billions of "meaningless" parameters.
- The Loss Function as a digital "Master Gradient."
- Top-down constraints on bottom-up components.

7. The Master Gradient: Thermodynamics and Entropy

- The "Maximum Entropy Production" principle.
- Life as a tool for energy dissipation.
- Is the "solution" to photosynthesis baked into the laws of physics?

8. Teleology and the Architectural Blueprint

- The philosophical implications of "Targeted Convergence."
- Fine-Tuning of physical constants for carbon-based energy capture.
- Distinguishing between "Design" and "Inherent Logic."

9. Falsifiability and the Limits of Historical Science

- The challenge of reconstructing 3-billion-year-old events.
- Inference to the Best Explanation (IBE) in evolutionary theory.
- Potential tests for the Emergence model.

10. Synthesis: Toward a New Model of Biological Coordination

- Merging Darwinian selection with Systemic Emergence.
- The role of environmental "pressure" as a guiding force.
- Concluding thoughts on the "inevitability" of complex life.

11. Conclusion

- Summary of the argument.
- Final reflections on the Master Gradient.

12. References

Art

1. The Paradox of Coordinated Evolution

The genesis of photosynthesis stands as one of the most formidable hurdles in the history of biological inquiry. At its core, the system presents a classic engineering paradox: the interdependence of a specialized pigment and a precise structural scaffold. In modern phototrophic organisms, the conversion of light into chemical energy is not performed by a single molecule, but by an integrated apparatus known as the pigment-protein complex. This assembly requires the chlorophyll molecule, which acts as the light-harvesting "engine," and a suite of proteins that serve as the "chassis." Without the protein, a free-floating chlorophyll molecule is not only useless for energy production but is actively dangerous to the cell, as it generates reactive oxygen species when exposed to light. Conversely, without the chlorophyll, the protein scaffold is an inert metabolic expense with no intrinsic function.

This mutual dependency creates a significant challenge for the standard neo-Darwinian narrative of gradual, step-wise accumulation. For natural selection to preserve a trait, that trait must offer a marginal survival advantage to the organism in its current state. However, the biosynthetic pathway for chlorophyll involves a dozen or more enzymatic steps, each producing intermediate molecules that have no photosynthetic utility on their own. Similarly, the genes required to fold the complex transmembrane helices of a Light-Harvesting Complex (LHC) must be present and expressed simultaneously with the pigments they are designed to hold.

If the "engine" and the "chassis" must appear together to provide any benefit, the probability of their simultaneous emergence through random, non-directed mutations becomes statistically infinitesimal. This "non-functional intermediate" problem suggests that the individual parts of the photosynthetic machine would have been "invisible" to natural selection during their nascent stages. If an enzyme for a chlorophyll precursor appeared in an ancestral microbe that lacked the protein to harness it, there would be no selective pressure to keep that enzyme; in fact, the metabolic cost of producing it would likely lead to its evolutionary culling.

This paradox forces a re-evaluation of the stochastic tinkering model. While traditional theory suggests that these systems "found" each other through a blind search of genetic space, the sheer level of coordination required for even the most primitive reaction center implies a different mechanism at work. We are left with the necessity of explaining how two vastly different metabolic lines—the one building complex organic pigments and the one building intricate membrane proteins—converged upon a single, high-efficiency solution at a specific point in deep time. This convergence suggests that the path to photosynthesis was not a random walk, but a movement along a pre-existing gradient toward a functional whole that was "required" by the laws of the environment long before it was achieved by the cell.

2. The Chemistry of the Engine: Chlorophyll Biosynthesis

The metabolic construction of chlorophyll is a masterpiece of enzymatic precision, involving a long and arduous sequence of chemical transformations. In modern plants and cyanobacteria, this pathway is often cited as a prime example of biological complexity because of its length and the specific nature of its intermediates. The process begins with relatively simple precursors—glutamate or glycine and succinyl-CoA—which are then converted into delta-aminolevulinic acid. This initial stage is shared across almost all domains of life, as it forms the foundational building block for all tetrapyrroles, the "pigments of life."

The most striking feature of this pathway is its deep evolutionary branch point with the synthesis of heme, the iron-containing molecule essential for cellular respiration and oxygen transport. The transition from the "universal" tetrapyrrole precursor, protoporphyrin IX, to either heme or chlorophyll is governed by the insertion of a specific metal ion. An iron atom yields heme, while a magnesium atom, inserted by the enzyme magnesium chelatase, sets the molecule on the irrevocable path toward chlorophyll. This suggests that the "engine" of photosynthesis was not an entirely new invention but a metabolic pivot from a pre-existing, highly functional system used for breathing and electron transport.

However, the "engine" cannot function in isolation. Each intermediate step in the chlorophyll biosynthetic pathway, from the cyclization of the fifth ring to the attachment of the long hydrophobic phytyl tail, produces a molecule with unique physical properties. Many of these intermediates are notoriously "phototoxic." When hit by light in an unprotected state, they act as potent photosensitizers, transferring energy to oxygen and creating singlet oxygen radicals that can destroy the cell from the inside out. This creates a functional crisis: how could an organism evolve a multi-step pathway toward a light-harvesting pigment if the halfway products were lethal to the organism whenever it encountered the sun?

The resolution to this crisis likely lies in the dual-purpose nature of early enzymes. It is hypothesized that the enzymes responsible for these "dangerous" intermediates did more than just catalyze a reaction; they acted as temporary cages, shielding the reactive molecules from the environment. This implies that the "coordination" between the pigment and the protein started at the enzymatic level. The pigments were never "free"; they were always handled by a protein "escort." This metabolic safety net provided a functional bridge, allowing the cell to explore the chemical space of light-reactive molecules without succumbing to oxidative stress. The evolution of the final chlorophyll molecule was therefore not a leap into the unknown, but a gradual refining of a "safety-first" metabolic chain that eventually realized the potential of light as an energy source rather than a toxic threat.

3. The Architecture of the Chassis: Protein Scaffolding

The protein scaffold of a photosynthetic system is as critical as the pigment itself. While the chlorophyll molecule captures the photon, the protein environment dictates the efficiency of energy transfer and prevents the dissipation of that energy as useless heat. In modern photosystems, these proteins—specifically the Light-Harvesting Complexes (LHCs) and the Reaction Centers—act as a "chassis" that holds pigments in an incredibly precise 3D orientation. The distance between these pigments is often measured in angstroms; if they are too far apart, the energy jump fails, and if they are too close, they quench one another.

This level of structural precision raises the question of how such a "high-performance" chassis could have emerged. Genomic analysis reveals that the complex, multi-subunit proteins of today likely evolved from much simpler, single-helix membrane-spanning proteins. These ancestral proteins were not initially designed for photosynthesis. Instead, they appear to be structurally homologous to a family of proteins known as High-Light Inducible Proteins (HLIPs). In modern cyanobacteria, HLIPs do not capture energy for fuel; they act as a "buffer" during periods of intense solar radiation, binding to stray chlorophyll molecules to prevent them from causing oxidative damage.

This suggests a functional "pre-phase" for the chassis that was entirely independent of energy production. The original protein scaffold was a protective device—a molecular "glove" designed to hold a dangerous pigment "hot potato." As the pigment-making enzymes (the engine) and these protective proteins (the chassis) co-existed in the same membrane, they began to influence one another’s evolution. Mutations that allowed the protein to hold the pigment more securely also happened to align the pigments in ways that made energy transfer possible.

The most complex part of the chassis, the Reaction Center, shows deep structural ties to the cytochrome b/f complexes used in basic cellular respiration. This implies that the "scaffold" for photosynthesis was essentially a retrofit of the "scaffold" for breathing. The protein was already optimized to move electrons across a membrane; it merely required the addition of a pigment-binding pocket to allow light to trigger that movement. This "exaptation"—the repurposing of an existing tool for a new job—provides a mechanical explanation for how the chassis could be functional even before it was photosynthetic.

4. The Failure of Reductionism in Bio-Energetics

A fundamental obstacle in understanding the origin of photosynthesis is the historical reliance on reductionism, the scientific approach that attempts to explain complex systems by breaking them down into their individual, constituent parts. While reductionism has been remarkably successful in mapping the "parts list" of the cell—identifying the specific genes, enzymes, and

pigments involved—it often fails to account for the functional synergy that occurs when those parts interact within a biological context. In bio-energetics, the whole is not merely greater than the sum of its parts; the function of the system only exists at the level of the whole. A single chlorophyll molecule or an isolated protein helix is not "photosynthetic" any more than a single letter is a "story."

The failure of the reductionist model is most apparent when considering the spatial environment of the early cell. These components did not evolve in a vacuum or a dilute aqueous solution. They evolved within the highly constrained, two-dimensional environment of the lipid bilayer. The cell membrane acts as a powerful organizing force that reductionist models often overlook. Because both the chlorophyll molecules (via their hydrophobic phytyl tails) and the protein scaffolds (via their transmembrane helices) are "greasy" or hydrophobic, they are naturally excluded from the watery interior of the cell and forced into the membrane. This physical constraint significantly reduces the search space for these molecules to find one another. Instead of a three-dimensional "needle in a haystack" problem, the coordination becomes a two-dimensional "collision" problem.

Furthermore, the "crowding" effect within the membrane facilitates a form of spontaneous self-organization. As the density of proteins and pigments increases, the laws of physics—specifically hydrophobic interactions and van der Waals forces—begin to dictate their arrangement. These parts do not need a genetic "instruction manual" to find their approximate locations; the thermodynamic drive to reach a low-energy state pushes them together. This suggests that much of the coordination we observe is not the result of direct genetic programming but is an emergent property of the physical environment. By moving beyond reductionism, we see that the membrane itself serves as a "passive coordinator," providing the stage upon which the "active" components of the engine and chassis can successfully merge.

5. Emergence as a Biological Law

Emergence occurs when a complex system exhibits properties that its individual parts do not possess. In the context of the photosynthetic apparatus, emergence is not merely a descriptive term but a governing law that bridge the gap between inanimate chemistry and biological function. Traditionally, biological "laws" are viewed through the lens of genetic inheritance, but emergence suggests that there are "rules of assembly" inherent in the structure of matter itself. When the concentration of pigment-making enzymes and membrane proteins reaches a critical threshold within the lipid bilayer, the system undergoes a "phase transition." It shifts from a collection of independent metabolic activities into a unified, self-sustaining network.

This transition is analogous to the concept of "autocatalytic sets" in chemistry, where a group of molecules catalyzes the production of one another until the entire set becomes self-sustaining. In the early cell, the coordination between the chlorophyll engine and the protein chassis likely hit a "tipping point" where the energy captured by the first crude pigment-protein pairings provided the metabolic fuel to produce more of those very components. Once this feedback loop is established, the system is no longer a victim of stochastic accidents; it becomes a "drain" into which energy and matter are naturally pulled. The coordination is "locked in" because the functional whole creates the conditions necessary for its own expansion.

By viewing emergence as a biological law, we can move away from the improbable "all-at-once" mutation model. Instead, we see a "gradient of utility." A system that is 10% coordinated might provide a 1% survival advantage by dissipating toxic light energy. That 1% advantage allows the population to grow, providing more opportunities for the next "emergent step" to occur. Emergence effectively "short-circuits" the statistical impossibility of complex coordination by allowing functionality to arise from collective behavior rather than individual perfection. The "law" here is that matter, when placed under the constant pressure of a solar energy gradient, will inevitably organize into the most efficient path for energy processing.

6. The AI Analogy: Non-Functional Parts and Functional Wholes

The emergence of function from non-functional components is perhaps most clearly demonstrated in the architecture of Large Language Models (LLMs). An LLM is composed of billions of individual parameters—numerical weights that, in isolation, possess no semantic meaning, logical capacity, or linguistic intent. A single weight within a neural network is a mathematical abstraction, a discrete point in a high-dimensional space that is utterly non-functional in regards to the task of reasoning. However, when these billions of parameters are organized into a specific architecture and subjected to a rigorous training process, sophisticated cognitive behaviors emerge. The coordination seen in an AI is not found in the parts, but in the collective state of the system.

In this analogy, the biological enzymes and protein subunits of the photosynthetic apparatus are the "parameters" of the cell. Just as a single weight in an AI does not "know" how to form a sentence, a single protein helix does not "know" how to harvest a photon. The "knowledge" or function is a top-down property that is imposed upon the parts by a "Master Gradient." In AI, this gradient is the mathematical Loss Function, which measures the difference between the model's current output and a desired "correct" state. The Loss Function acts as an invisible pressure, forcing the non-functional weights to coordinate their values until the "error" is minimized and function appears.

The parallels to biological evolution are striking. The environmental demand for energy capture acts as a biological "Loss Function." The "error" in this system is metabolic inefficiency or death. The "Master Gradient" of the fitness landscape forces the disparate parts of the cell—the pigments, the enzymes, and the scaffolds—to align into a coordinated state that minimizes this metabolic error. The intelligence of the solution is not located in the individual mutations of the DNA, but in the overarching "architecture" of the environment that rewards specific configurations of matter. Consequently, the coordination of photosynthesis can be viewed as a biological "computation" where the laws of physics solve for the most efficient energy-capture model, using the cell's components as its variables.

7. The Master Gradient: Thermodynamics and Entropy

To understand the "Master Gradient" that drives the coordination of photosynthesis, one must look beyond biology toward the fundamental laws of physics. The Second Law of Thermodynamics states that the entropy of an isolated system always increases, leading toward a state of equilibrium and disorder. However, local systems can decrease their entropy and increase their complexity if they are part of a larger energy flux. The "Maximum Entropy Production" principle suggests that systems will self-organize into structures that dissipate energy gradients as efficiently as possible. In this framework, life is not a violation of physical laws but an inevitable consequence of them; it is a specialized tool for energy dissipation.

The sun provides a massive gradient of high-frequency photons that the Earth must eventually radiate back into space as lower-energy infrared heat. Matter that organizes itself to "catch" these photons and delay their degradation performs a thermodynamic service. Photosynthesis, therefore, is the most efficient "drain" for solar energy ever evolved on this planet. The "Master Gradient" is the thermodynamic pressure that "pulls" matter toward solutions like the pigment-protein complex. Just as water is forced to coordinate its flow into a riverbed by the gradient of gravity, the chemicals of the early Earth were forced to coordinate into photosynthetic networks by the gradient of solar flux.

This perspective shifts the focus from the improbability of the parts to the inevitability of the path. If the laws of the universe favor the efficient dissipation of energy, then any environment with a steady energy source (like the sun) and a pool of reactive building blocks (like carbon, nitrogen, and magnesium) will eventually "solve" the problem of light harvesting. The coordination of enzymes and proteins is not a random collision, but a thermodynamic requirement. The "intelligence" sensed in the system is actually the "logic" of the universe seeking a state of maximum dissipation. In this view, photosynthesis was not a "lucky break" in

the history of life; it was a physical necessity that emerged as soon as the chemical conditions reached the requisite complexity to sustain the gradient.

8. Teleology and the Architectural Blueprint

The concept of teleology—the idea that certain systems are directed toward an end or "telos"—has long been a contentious subject in the natural sciences. Within the context of photosynthetic coordination, a teleological perspective suggests that the "solution" of energy capture exists as a latent potential within the laws of chemistry and physics, long before the first cell ever harvested a photon. This is not necessarily an appeal to a supernatural designer, but rather an observation of "Targeted Convergence." If we observe that evolution repeatedly arrives at the same complex solutions—such as the near-universal structure of the porphyrin ring or the specific geometry of the reaction center—it implies that the "blueprint" for these systems is baked into the fundamental constants of the universe.

This "architectural blueprint" is reinforced by the concept of Fine-Tuning. The specific strengths of the electromagnetic force and the precise properties of the carbon atom allow for the existence of stable, light-reactive pigments. If the physical constants of the universe were shifted by a fraction of a percentage, the "Master Gradient" toward photosynthesis might not exist. In this light, the coordination of the engine and the chassis is less about a series of accidents and more about matter "finding" a pre-existing optimal state. The universe provides the "Master Solution," and the evolutionary process acts as a search algorithm that eventually locates it.

The distinction here is between "active design" and "inherent logic." In an active design model, a project manager intervenes to force parts together. In an inherent logic model, the parts possess a natural affinity for the final solution because of the way the "game" is rigged. Just as a crystal "knows" how to form a perfect lattice because of the geometry of its atoms, the photosynthetic apparatus "knows" how to assemble because it is the most stable and efficient configuration of matter under solar pressure. This teleological view provides a robust alternative to the "non-functional intermediate" critique by suggesting that the parts were always gravitating toward a functional whole that was, in a sense, "predetermined" by the structure of reality.

9. Falsifiability and the Limits of Historical Science

The study of photosynthetic origins inevitably confronts the problem of falsifiability, a cornerstone of the scientific method. Because the transition from prebiotic chemistry to

coordinated biological systems occurred over three billion years ago, it cannot be directly observed or replicated in its original context. This places the "Master Gradient" and "Emergence" models in the realm of historical science, where researchers must rely on an Inference to the Best Explanation (IBE) rather than the real-time experimentation typical of operational science. To make these theories falsifiable, scientists must identify specific "fingerprints" in the modern biosphere that, if absent, would render the theory invalid.

One primary test for the emergence model is the search for "Living Fossils" or intermediate stages of light harvesting. If the theory of stepwise coordination is correct, we should find extant organisms that possess "half-finished" or alternative versions of the photosynthetic apparatus. The discovery of bacteriorhodopsin in certain archaea—a single protein that acts as a light-driven proton pump without a complex electron transport chain—serves as a critical piece of evidence. If life only existed in two states (fully photosynthetic or entirely non-photosynthetic) with no functional middle ground, the emergence model would be significantly weakened or falsified.

Another layer of falsifiability lies in genetic "syntax." If the enzymes for chlorophyll and the proteins for the scaffold showed no sequence similarity to other metabolic pathways, it would suggest they appeared *de novo*, supporting a "sudden assembly" or "all-at-once" model over a gradient-driven one. However, the clear homology between chlorophyll synthesis and heme synthesis, and between photosystem proteins and respiratory cytochromes, provides the necessary "clues" to reconstruct the evolutionary past. While we cannot prove the specific narrative of the past with absolute certainty, we can test the chemical and genetic plausibility of the steps. The limit of falsifiability in this field is not a failure of the science, but a recognition that historical reconstruction requires a different set of evidentiary standards than laboratory physics.

10. Synthesis: Toward a New Model of Biological Coordination

The synthesis of these disparate views—evolutionary biology, systems theory, and thermodynamics—offers a more robust framework for understanding biological coordination than any single discipline could provide. We must move beyond the binary choice between "pure accident" and "unexplained design." The proposed model suggests that the coordination of the photosynthetic engine and its protein chassis is the result of a **Multi-Layered Convergence.** In this view, natural selection does not act on isolated mutations in a vacuum; it acts within a "possibility space" already narrow-tuned by the laws of physics and the constraints of the cellular environment.

In this new model, the "Master Gradient" provides the direction, the "Emergence" provides the jump, and "Natural Selection" provides the refinement. The enzymes for chlorophyll and the proteins for the scaffold were not "searching" for each other; they were both being pulled toward a shared thermodynamic peak. This is a **Top-Down Coordination** where the global requirement for energy dissipation dictates the local assembly of parts. The "non-functional" precursors were never truly useless; they were either performing different jobs (like respiration) or were being held in a state of "latent functionality" by the self-organizing properties of the cell membrane.

Ultimately, this synthesis suggests that life is a highly probable outcome of the universe's architectural logic. The coordination we observe in the pigment-protein complex is not a miracle of chance, but a manifestation of how matter behaves when it is subjected to a constant, high-quality energy flux. By viewing biological machines as emergent solutions to thermodynamic problems, we resolve the paradox of coordination. The engine and the chassis did not evolve *together* by luck; they were forged by the same environmental "Master Gradient" that demands the efficient capture of light as a prerequisite for complex existence.

11. Conclusion

The intricate coordination between the chlorophyll-producing enzymatic pathway and the protein scaffolds of the photosystem remains one of the most profound "coincidence" problems in biology. However, as this paper has argued, the apparent impossibility of this coordination is largely an artifact of a reductionist perspective. When we view the cell not as a collection of isolated parts, but as a dynamic system governed by emergence and thermodynamic gradients, the "chicken-and-egg" paradox begins to dissolve. The "engine" and the "chassis" did not meet by a stroke of blind genetic luck; they were forced into a functional marriage by the physical constraints of the lipid bilayer and the relentless pressure of a solar-driven "Master Gradient."

Just as intelligence emerges from the non-functional weights of a neural network when guided by a loss function, biological function emerges from non-functional chemical precursors when guided by the requirement for energy dissipation. The coordination of photosynthesis is a testament to a "Targeted Convergence" where the laws of physics essentially "rig the game" in favor of complex life. We conclude that the assembly of life's most sophisticated machines is not a defiance of probability, but a fulfillment of a universal architectural logic. The master gradient of the universe does not merely allow for such coordination—it demands it.

12. References

- **Alberts, B., et al.** (2014). *Molecular Biology of the Cell*. Garland Science. (On the structural homology of membrane proteins).
- **Barabási, A. L.** (2016). *Network Science*. Cambridge University Press. (On emergence and phase transitions in complex systems).
- **Blankenship, R. E.** (2014). *Molecular Mechanisms of Photosynthesis*. Wiley-Blackwell. (On the evolutionary history of reaction centers).
- **England, J. L.** (2013). "Statistical physics of self-replication." *The Journal of Chemical Physics*. (On the thermodynamic drive toward dissipative structures).
- **Hohmann-Marriott, M. F., & Blankenship, R. E.** (2011). "Evolution of photosynthesis." *Annual Review of Plant Biology*. (On the transition from heme to chlorophyll synthesis).
- **Kauffman, S. A.** (1993). *The Origins of Order: Self-Organization and Selection in Evolution*. Oxford University Press. (On autocatalytic sets and metabolic loops).
- **Larkum, A. W.** (2003). "The evolution of chlorophylls and photosynthesis." *Advances in Botanical Research*. (On the phototoxicity of metabolic intermediates).
- **Schneider, E. D., & Sagan, D.** (2005). *Into the Cool: Energy Flow, Thermodynamics, and Life*. University of Chicago Press. (On the "Master Gradient" of entropy production).
- **Wolfram, S.** (2002). *A New Kind of Science*. Wolfram Media. (On the emergence of complex behavior from simple rules).

The author has published over 5,000 AI-assisted papers at: https://www.researchgate.net/profile/Douglas-Youvan/research . Google Scholar has indexed these preprints, and if you want a particular reference, the AI mode of a Google search (Gemini) has efficiently catalogued these preprints.


Non-funcbrane
(cell bilayer)
Free-floating
pigment
Reactive
Oxygen Species
(phototoxicity)
Metabolic
enzymes
phase transition
Tetrapyrrole
pigment
precursor
Metabolic
enzymes
ATP
ATP
NADPH
ATP
ATP
NADPH